CrystEngComm

Cite this: CrystEngComm, 2011, 13, 5045

www.rsc.org/crystengcomm

COMMUNICATION

Facile additive-free solvothermal synthesis of cadmium sulfide flower-like three dimensional assemblies with unique optical properties and photocatalytic activity

Yuming Guo,^a Jinfeng Wang,^a Lin Yang,^{*a} Jie Zhang,^a Kai Jiang,^a Wujv Li,^b Lingling Wang^a and Lili Jiang^a

u

Received 26th January 2011, Accepted 21st February 2011 DOI: 10.1039/c1ce05132f

Cadmium sulfide flower-like 3D assemblies were successfully prepared through a facile additive-free solvothermal process. It was found that the ethanol played an important role in the formation of the CdS assemblies. Based on the time-dependent experiments, a possible mechanism was proposed. In addition, the CdS assemblies exhibit unique optical properties and potential photocatalytic activity.



"College of Chemistry and Environmental Science, Key Laboratory of Green Chemical Media and Reactions, Ministry of Education, Henan Normal University, Xinxiang 453007, P. R. China. E-mail: yanglin1819@163.com; Fax: +86-373-3328507; Tel: +86-373-3325999 ^bLuohe Vocational Technology College, Luohe 462000, P. R. China E (E I) DI: 10.1039/ 1 05132







This journal is © The Royal Society of Chemistry 2011



References

- a31 **a**) . Н u 1 . E. , Am.
- u , Am. Mineral., 2006, 91, 1937 1940. ٩
- -- ²-້ານ ຳ , Science, 1996, **271**, 67 3 G.F) , .A . A , . 69.

- ^a), A. . ^a), D. ^a), . ^a), F. C. 4
- D. . . . *Chem. Commun.*, 2007, 3547 3549. F. u , B. A. G , . A) -, J. Struct. Biol., 5 F. u F. u ,), B. A. (2006, **153**, 176–187.
- 6 H. C u, . , G. C * , u) u, Cryst. Growth Des., 2005, **5**, 1801–1806. B., C., **6**, u, F aj, aj, 7
- *Chem.–Eur. J.*, 2007, **13**, 3076–3081. 8 .- .) , .-H. u, .- . u, .- . C F -J
- Phys. Chem. B, 2006, 110, 11704 11710.

 .-. C), H.-., E.-., E.-.

 ٩. a ze
- , J. Phys. Chem. B, 2005, **109**, 6204, 6209. 10

- 10
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
 .
- 14 D. a. . a. u, , , u, . , ,))u, J. Phys. Chem. C, 2008, **112**, 2845 . 2850.
- 15 . D . , Gu u , J. Phys. Chem. B, 2004, 108, 1617 1620 16 D.), D. , . Gu , F. Fu, .
- aj aj * , J. Phys. Chem.
- ")" "H. C", J. Phys.

- E. G. G^{*}, *h*, *Inorg. Mater.*,
- a). 14 A. , Russ. J. Gen. Chem., 2001, 71, -**n** 978 W
- . G. H
- 25 H.
- 26 F. C 1168.